

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: BOLTEX MANUFACTURING COMPANY	
MANUFACTURERS ADDRESS: 4901 OATES ROAD, HOUSTON, TX 77013	
PLANT LOCATIONS: 4901 OATES ROAD, HOUSTON, TX 77013	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input checked="" type="radio"/> B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B16.5 ASME B16.47 ASME B16.36 MSS-SP44
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT <div style="text-align: center; font-size: 2em; font-weight: bold;">BOLTEX</div>	TYPE OF CONSTRUCTION FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:

- LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:**
1. BOLTEX REFERENCE MANUAL CONTAINING TECHNICAL INFO, DRAWINGS WITH DIMENSIONS & TOLERANCES TO ASME B16.5, B16.47, B16.36. & MSS-SP44
 2. MATERIAL SPECIFICATIONS FOR ASTM: A105, A350, A694
 3. PRESSURE & TEMPERATURE RATING FOR: ASME B16.5, B16.47, B16.36, & MSS-SP44
 4. QUALITY CERTIFICATION FOR BOLTEX ISO 9000.
 5. ABS ACCREDITATION FOR ANSI-RAB AND RVA, RVC.

DECLARATION: (PRESIDENT)
FRANK V. BERNOBICH (see note 3) employed by BOLTEX MFG. CO. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ABS QUALITY EVALUATION as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at BOLTEX MFG. CO.
 This 4TH day of FEBRUARY AD 2003
 Commissioner of Oaths or Notary Public: (sign) [Signature]
 (Affix Official seal to the right)



This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of completion.

CRN: 0B8496.5
 FID#: 1252

**PROVINCE OF NB
DEPT. OF PUBLIC SAFETY
BOILER & PRESSURE VESSEL ACT**

REGISTRATION ONLY

CRN 0B8496.57

EXAMINER: Dale E. Ross
for
CHIEF BOILER INSPECTOR

DATE: April 29, 2003

<input type="checkbox"/> BLRs	<input type="checkbox"/> PVs
<input checked="" type="checkbox"/> FITTINGS	<input type="checkbox"/> COMPONENTS

- Notes:**
1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.